

- Home
- Document Server
- Fax Received File
- Printer: Print Jobs
- Job
- Configuration

Home

- Status
- Device Info
- Counter
- Inquiry

Once on the web interface click the Login Link.

- Device Name : RICOH Aficio MP C3000
- Location : Outside Wanda's Office
- Comment : Helpdesk Ricoh C3000
- Host Name : HelpDeskRicoh



Status

Printer	Alert	
Copier	Alert	
Fax	Alert	
Scanner	Energy Saver Mode	

Printer:
No Paper: Tray 4
Energy Saver Mode

Toner

Black	
Cyan	
Magenta	
Yellow	

Input Tray

Tray 1	8 1/2 x 11
Tray 2	8 1/2 x 11
Tray 3	8 1/2 x 14
Tray 4	11 x 17
Bypass Tray	8 1/2 x 11

Output Tray

Internal Tray 1
Finisher Upper



Web Image Monitor

Login User Name :

Login Password :

Click Login

**Username is admin
There is no password**

- Home
- Document Server
- Printer: Print Jobs
- Job
- Address Book
- Configuration

Home

- Status
- Device Info
- Counter
- Inquiry

- Device Name : RICOH Aficio MP C3000
- Location : Outside Wanda's Office
- Comment : Helpdesk Ricoh C3000
- Host Name : HelpDeskRicoh

- Reset Device
- Reset Printer Job



Status

Printer	Alert	>>
Copier	Alert	>>
Fax	Alert	>>
Scanner	Energy Saver Mode	>>

Printer:
No Paper: Tray 4
Energy Saver Mode

Toner

Black	[Progress Bar]
Cyan	[Progress Bar]
Magenta	[Progress Bar]
Yellow	[Progress Bar]


Click Configuration

Input Tray

Tray 1	8 1/2 x 11	[Icon]
Tray 2	8 1/2 x 11	[Icon]
Tray 3	8 1/2 x 14	[Icon]
Tray 4	11 x 17	[Icon]
Bypass Tray	8 1/2 x 11	[Icon]

Output Tray

Internal Tray 1
Finisher Upper



- Home
- Document Server
- Printer: Print Jobs
- Job
- Address Book
- Configuration

Configuration

Click User Authentication Management

Refresh ?



Device Settings

- System
- Paper
- Date/Time
- Timer
- Logs
- E-mail
- File Transfer
- User Authentication Management
- Administrator Authentication Management
- Program/Change Administrator
- LDAP Server
- ROM Update



Network

- IPv4
- IPv6
- NetWare
- AppleTalk
- SMB
- SNMP
- SNMPv3
- SSDP
- Bonjour
- System Log



Printer

- Basic Settings
- Tray Parameters (PCL)



Security

- Network Security
- Access Control
- IPP Authentication
- SSL/TLS
- ssh
- Site Certificate
- Device Certificate



Fax

- Environment Settings
- Send / Reception Settings
- IP-Fax Settings
- IP-Fax Gateway Settings
- Parameter Settings



RC Gate

- Setup RC Gate
- Update RC Gate Firmware
- RC Gate Proxy Server



Interface

- Interface Settings



Webpage

- Webpage



Extended Feature Settings

- Startup Setting
- Extended Feature Info
- Install
- Uninstall
- Change Allocation
- Administrator Tools

User Authentication Management

Refresh

OK Cancel

■ User Authentication Management : Off

OK Cancel

Click the drop down menu and select User Code



"Simple" will take effect for printer jobs within the following ranges.

■ Limitation Range (IPv4)

IPv4 Address 1 : -

IPv4 Address 2 : -

IPv4 Address 3 : -

IPv4 Address 4 : -

IPv4 Address 5 : -

■ Limitation Range (IPv6)

IPv6 Address 1 : Range -
 Mask Mask Length

IPv6 Address 2 : Range -
 Mask Mask Length

IPv6 Address 3 : Range -
 Mask Mask Length

IPv6 Address 4 : Range -
 Mask Mask Length

IPv6 Address 5 : Range -
 Mask Mask Length

■ USB (Simple) : Apply Do not Apply

Once you click User Code you will get more options on the screen. Select which functions you wish to lock.

User Code Authentication Settings

■ Available Function

Copier : Black & White Single Color Two-color
 Full Color

Printer : Black & White Color PC:Control

Other Function(s) : Document Server Fax Scanner

When done click OK and User Codes will be on at this point.

OK Cancel

- Home
- Document Server
- Printer: Print Jobs
- Job
- Address Book
- Configuration

Configuration



Device Settings

- System
- Paper
- Date/Time
- Timer
- Logs
- E-mail
- File Transfer
- User Authentication Management
- Administrator Authentication Management
- Program/Change Administrator
- LDAP Server
- ROM Update



Printer

- Basic Settings
- Tray Parameters (PCL)



Fax

- Environment Settings
- Send / Reception Settings
- IP-Fax Settings
- IP-Fax Gateway Settings
- Parameter Settings



Interface

- Interface Settings

Click Addrss Book



Network

- IPv4
- IPv6
- NetWare
- AppleTalk
- SMB
- SNMP
- SNMPv3
- SSDP
- Bonjour
- System Log



Security

- Network Security
- Access Control
- IPP Authentication
- SSL/TLS
- ssh
- Site Certificate
- Device Certificate



RC Gate

- Setup RC Gate
- Update RC Gate Firmware
- RC Gate Proxy Server



Webpage

- Webpage



Extended Feature Settings

- Startup Setting
- Extended Feature Info
- Install
- Uninstall
- Change Allocation
- Administrator Tools

Address List



Select a user.

Back

Change Add User Add Group Delete Maintenance

View: All Search for: Registration No. Search

Page: 1/4 Go Display Items: 10 Number of Registered: User(s)30 Group(s)4

You can also view User Codes already assigned on this screen.

	Registration No.	Name	Freq.	Title 1	Title 2	Title 3	User Code	Fax Destination	E-mail Address	Folder
<input type="radio"/>	00001	Matt Baker	On	---	---	---	---	---	matt.baker@rjyoung.com	---
<input type="radio"/>	00002	Admin Test Group	On	---	---	---	---	---	---	---
<input type="radio"/>	00003	huff	On	---	---	---	---	---	steve.huff@rjyoung.com	---
<input type="radio"/>	00004	Tex	On	---	---	---	---	---	tex.malone@rjyoung.com	---
<input type="radio"/>	00005	Birk	On	AB	---	---	3000	---	david.birk@rjyoung.com	\\nas\Users\Connectivity\davbir\scans
<input type="radio"/>	00006	pat	On	---	---	---	---	---	pat.brown@rjyoung.com	\\nt-13228\scans
<input type="radio"/>	00007	Jamie Fialkowski	On	IJK	---	---	---	---	jamie.fialkowski@rjyoung.com	\\nt-13158\scans
<input type="radio"/>	00008	Terry	On	RST	1	1	---	---	terry.lee@rjyoung.com	---
<input type="radio"/>	00009	Fish	On	---	---	---	---	---	derek.brimm@rjyoung.com	\\NT-2999\scans
<input type="radio"/>	00010	Melissa	On	LMN	---	---	---	---	melissa.raines@rjyoung.com	---

Back

Then click Change.

Change User

OK Save and Add Another Cancel

Registration No. : 00005

Name : Birk

Key Display : Birk

Title

Title 1 : AB

Title 2 : None

Title 3 : None

Add to Freq. : On Off

Input User Code you wish this person to use.

Authentication Information

User Code : 3000

SMTP Authentication : Specify Other Auth. Info below: Do not Specify

Login User Name :

Login Password : Change

Folder Authentication : Specify Other Auth. Info below: Do not Specify

Login User Name : davbir

Login Password : Change

LDAP Authentication : Specify Other Auth. Info below: Do not Specify

Login User Name :

Login Password : Change

Available functions

Copier: Full Color Two-color Single Color Black & White

Color Copy Mode Limitation: Limit to Auto Color Selection Full Color / Auto Color Selection

Printer: Color Black & White

Other functions: Document Server Facsimile Scanner

Specify which Functions you want this user/usercode to be able to use.

Protection

Use Name as : Destination Sender

Protect Destination

Protection Object: Sender Folder Destination

Once finished click OK to exit.

File Edit View Tools Help

Organize Add a printer See what's printing Set as default Select printing preferences Delete this printer Rename this printer Pause printing Share... Set printer properties

★ Favorites

- Desktop
- Downloads
- Google Drive
- Recent places

Libraries

- Documents
- Music
- Pictures
- Videos

Computer

- OS (C:)
- Helpdesk

Network

Adobe PDF
0
Ready

Microsoft XPS Document Writer
0
Ready

Samsung SCX-8123 8128 Series
PCL6
0

Canon iR-ADV C5030/5035 (FAX)
0
Ready

RICOH Aficio MP C3000 PCL 5c
0
Ready

Send To OneNote 2010
0
Ready

Canon iR-ADV C5030/5035 UFR II
0
Ready

RICOH Aficio MP C3000 PCL 6
0
Ready

Fax
0
Ready

Samsung CLX-92x1 93x1 Series
0
Ready

Open your Printers screen through Control Panel.

Once on this screen RIGHT click on your Ricoh Copier.
If using Windows XP or Windows 8 click Properties in the menu that appears.
If using Windows 7 click Printer Properties.

Navigation icons: back, forward, up, down, search. Search Printers

File Edit View Tools Help

Organize Add a printer See what's printing Set as default Select printing preferences Delete this printer Rename this printer Pause printing Share... Set printer properties


- ★ Favorites
 - Desktop
 - Downloads
 - Google Drive
 - Recent places
- Libraries
 - Documents
 - Music
 - Pictures
 - Videos
- Computer
 - OS (C:)
 - Helpdesk
- Network
 - 805BLD
 - INTECRIP-PC
 - JASONVM
 - MA4000
 - NT-12768
 - NT-12773
 - NT-12775
 - NT-12807
 - NT-12874
 - NT-12883
 - NT-12885
 - NT-12907
 - NT-12910
 - NT-12919
 - NT-12962
 - NT-12996
 - NT-13003
 - NT-13009
 - NT-13011
 - NT-13030
 - NT-13099
 - NT-13216
 - NT-13225
 - NT-13473
 - NT-13508

Printer icons and status:

- Adobe PDF 0 Ready
- Microsoft XPS Document Writer 0 Ready
- Sam PCL 0 Ready
- Canon iR-ADV C5030/5035 (FAX) 0 Ready
- RICOH Aficio MP C3000 PCL 5c 0 Ready
- Canon iR-ADV C5030/5035 UFR II 0 Ready
- RICOH Aficio MP C3000 PCL 6 0 Ready
- Fax 0 Ready
- Samsung CLX-92x1 93x1 Series 0 Ready

RICOH Aficio MP C3000 PCL 5c Properties

General | Sharing | Ports | Advanced | Color Management | Security | Accessories | Advanced Options | Paper Size Settings

 RICOH Aficio MP C3000 PCL 5c

Location:

Comment:


Model: RICOH Aficio MP C3000 PCL 5c

Features

- Color: Yes
- Double-sided: Yes
- Staple: No
- Speed: 30 ppm
- Maximum resolution: 600 dpi

Paper available:

Click Preferences.



- ★ Favorites
 - Desktop
 - Downloads
 - Google Drive
 - Recent places
- Libraries
 - Documents
 - Music
 - Pictures
 - Videos
- Computer
 - OS (C:)
 - Helpdesk
- Network
 - 805BLD
 - INTECRIP-PC
 - JASONVM
 - MA4000
 - NT-12768
 - NT-12773
 - NT-12775
 - NT-12807
 - NT-12874
 - NT-12883
 - NT-12885
 - NT-12907
 - NT-12910
 - NT-12919
 - NT-12962
 - NT-12996
 - NT-13003
 - NT-13009
 - NT-13011
 - NT-13030
 - NT-13099
 - NT-13216
 - NT-13225
 - NT-13473
 - NT-13508

- Adobe PDF 0 Ready
- Canon iR-ADV C5030/5035 (FAX) 0 Ready
- Canon iR-ADV C5030/5035 UFR II 0 Ready
- Fax 0 Ready
- Microsoft XPS Document Writer 0 Ready
- RICOH Aficio MP C3000 PCL 5c 0 Ready
- RICOH Aficio MP C3000 PCL 6 0 Ready
- Sam PCL 0 Ready
- Samsung CLX-92x1 93x1 Series 0 Ready

RICOH Aficio MP C3000 PCL 5c Printing Preferences

Setup Paper Print Quality **Valid Access** Watermarks

Job Type: Normal Print (Details...)

Copies: 1

Orientation: Portrait (Rotated)

Layout: 1 Page per Sheet (Draw Frame Border)

Page Order: Right, then Down

Duplex: Off (Non-Reduction Booklet)

Ignore Application Collate (checked)

Staple: Off (Punch: Off)

Color/ Black and White: Black and White

Buttons: About... Restore Defaults OK Cancel Apply Help

Click th Valid Access Tab

- ★ Favorites
 - Desktop
 - Downloads
 - Google Drive
 - Recent places
- Libraries
 - Documents
 - Music
 - Pictures
 - Videos
- Computer
 - OS (C:)
 - Helpdesk
- Network
 - 805BLD
 - INTECRIP-PC
 - JASONVM
 - MA4000
 - NT-12768
 - NT-12773
 - NT-12775
 - NT-12807
 - NT-12874
 - NT-12883
 - NT-12885
 - NT-12907
 - NT-12910
 - NT-12919
 - NT-12962
 - NT-12996
 - NT-13003
 - NT-13009
 - NT-13011
 - NT-13030
 - NT-13099
 - NT-13216
 - NT-13225
 - NT-13473
 - NT-13508

Adobe PDF 0 Ready
Canon iR-ADV C5030/5035 (FAX) 0 Ready
Canon iR-ADV C5030/5035 UFR II 0 Ready
Fax 0 Ready
Microsoft XPS Document Writer 0 Ready
RICOH Aficio MP C3000 PCL 5c 0 Ready
RICOH Aficio MP C3000 PCL 6 0 Ready
Samsung PCL 0 Ready
Samsung CLX-92x1 93x1 Series 0 Ready

RICOH Aficio MP C3000 PCL 5c Printing Preferences

Setup Paper Print Quality Valid Access Watermarks

User Code

Notice:
[User Code] is up to 8 characters of numbers.

Authentications...

Click OK to exit.

OK Cancel Apply Help

Input User Code Assigned earlier.

Click OK to exit.